## 8" Two-Way In-Ceiling Loudspeaker



## R-2800-CSM

With Klipsch's new R-2800-CSM in-ceiling loudspeaker, affordable architectural audio has never sounded so good. Upholding the same high-performance standards as all Klipsch products, this summed mono model employs an 8-inch gray polymer woofer cone and dual 1-inch soft/silk dome tweeters so that it can play both left and right stereo signals with total precision and clarity.

Perfect for use in bathrooms, closets, hallways or anywhere else multiple speakers would be impractical, the R-2800-CSM brings powerful and dynamic performances to some of the most difficult installation locations.

In addition to its amazing sound capabilities, this in-ceiling speaker is one of the most easy-to-install products on the market. By utilizing a proprietary two-screw mounting solution, the R-2800-CSM ensures a secure fit that saves time and money.

Available in a white finish, this speaker can be paired with one of Klipsch's new installation kits (sold separately). Each of these revolutionary kit designs allow for increased mounting flexibility and incorporate a mud ring, wire tie and universal metal mesh wing for multi-position placement and a color-coded bracket for easy speaker size identification.

- Single speaker accepts two-channel input
- Separate tweeters for each channel to maintain stereo effect
- Weatherized components
- Time saving two-screw mounting method
- Paintable to match ceiling

## SPECIFICATIONS

FREQUENCY RESPONSE	$52$ Hz- $20$ kHz $\pm 3$ dB
SENSITIVITY	94dB @ 1 watt/1 meter
NOMINAL IMPEDANCE	8 ohms
CROSSOVER FREQUENCY	3400Hz
POWER HANDLING	50 watts (200 watts peak)
ENCLOSURE MATERIAL/TYPE	ABS/ Infinite baffle, front flush with ceiling
DRIVE COMPONENTS	Two-way system using dual 1" (2.54cm) silk
	dome tweeters and one 8" (20.3cm)
	polymer woofer
WIRE GAUGE ACCOMMODATED	12
WEIGHT	7.9 lbs. (3.6kg)
DIAMETER	11" (27.94cm)
MOUNTING DEPTH	4.5" (11.43cm)
CUTOUT DIMENSIONS	9.75" (24.77cm)
FINISH	White
INSTALLATION KIT	IK-800-C (sold separately)