



The Ultimate Sound Experience™

**Klipschorn**<sup>®</sup>  
60 ✓ ANNIVERSARY





“I wanted something with a closer approach to accuracy in reproduction.”



*Paul Klipsch*

Founder, 1904-2002





## A LEGEND IN SOUND

Relentless perfectionist, Engineering and Science Hall of Fame inductee and holder of 23 patents, Paul Wilbur Klipsch is one of America's most celebrated audio pioneers. He revolutionized the way people listened to recorded music when he created the Klipschorn® in 1946.

An engineering breakthrough when it was introduced, the Klipschorn set the industry standard for high sensitivity, wide dynamic range, low distortion, smooth frequency response and powerful bass. In fact, the technology of this three-way, horn-loaded loudspeaker is as valid today as it was 60 years ago.

## CELEBRATING A TIMELESS CLASSIC

Aside from being one of the world's greatest performers, the Klipschorn is the only loudspeaker to be in continuous production for 60 years. To commemorate this achievement, Klipsch is proud to present the special edition 60th Anniversary Klipschorn.

With a limited run of 200 pairs, these collector's items are crafted for high-quality sonic performance and adorned with distinct aesthetic features that will never be available again. Assembled by skilled craftsmen in Hope, Arkansas, where the Klipsch legacy began, these speakers have a revered spirit like no other.



## REFINED ELEGANCE, UNWAVERING TRIBUTE

The speaker's high-frequency cabinet features a glossy black piano finish, while the front panel is a sophisticated lacewood veneer. The black anodized, solid aluminum kick plate features a silver PWK logo with a real diamond inset, the stone representing 60 years.

On the back of each speaker, a silver, engraved plaque honors PWK's unyielding vision and lists the speaker's exclusive production number. A certificate of authenticity signed by Klipsch Chairman and CEO Fred S. Klipsch accompanies each pair after purchase.

Like the original, the Anniversary Klipschorn spans more than nine full octaves with rich, smooth, ultra low distortion sound, only now it comes with solid panels that enclose its rear high- and low-frequency cabinets. This never-before-seen feature not only adds to the appearance, but also eliminates corner fit and response issues and allows for the adjustment of toe in for the first time in the Klipschorn's history.

For signal purity and driver integration, each speaker's updated crossover network is made with premium components, featuring high-end Van den Hul CS14 copper-silver multi-strand internal wiring and can be viewed through a "window" on the high-frequency cabinet. Magnetic grille posts allow for secure attachment and easy removal of the low frequency grilles, while top-grade WBT binding posts ensure optimal signal transfer and a secure connection to any type of cable.



## 60th ANNIVERSARY KLIPSCHORN

Frequency Response	33Hz-17kHz $\pm$ 4dB
Sensitivity	105dB @ 1 watt/1 meter
Power Handling	100 watts max continuous (400W peak)
Maximum SPL	121dB
Nominal Impedance	8 ohms
Enclosure Type	Fully horn-loaded
Crossover Frequency	HF: 4500Hz MF: 450Hz
Tweeter	K-77-D 1" (2.54cm) Phenolic diaphragm compression driver/horn
Midrange	K-55-X 2" (5.08cm) Phenolic diaphragm compression driver
Mid-Frequency Horn	Exponential
Woofers	K-33-E 15" (38.1cm) Fiber-composite cone with a trihedral exponential folded horn
Height	50.75" (128.9cm)
Width	31.25" (79.38cm)
Depth	28.25" (71.75cm)
Weight	225 lbs. (102kg)
Enclosure Material	Birch Plywood and MDF
Finish	High Gloss Black and Lacewood Veneer



 A KLIPSCH GROUP COMPANY

klipsch.com · 1-800-KLIPSCH · INDUSTRIESTRAAT 1, 7041 GD'S - HEERENBERG, THE NETHERLANDS

©2006 Klipsch Audio Technologies. All Rights Reserved. Klipsch®, Klipschorn® and PWK® are all registered trademarks and The Ultimate Sound Experience™ is a trademark of Klipsch, LLC.